



2x4 TOP PLATE

REMOVABLE BREAKAWAY CHANNELS
(VERTICAL) 2" ON BOTH SIDES OF EACH
STUD x 1 1/2" DEEP (2 1/2" BEHIND DRYWALL FACE).

TYPICAL EXT. STUCCO
WALL CONSTRUCTION
PLASTER (DOUBLE COAT)
GALV. EXPANDED METAL LATH
WATERPROOF BUILDING PAPER
7/16" OSB PANEL SHEATHING
TYPE 1 EXPANDED POLY-STYRENE
(1 LB DENSITY) INSULATION PANEL
2x4 STUD WALL @ 16" O.C.
1/2" AIR SPACE
6mil POLY AIR VAPOUR BARRIER
1/2" GYPSUM BOARD

2 REMOVABLE BREAKAWAY CHANNELS
(HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP
48" & 51" OFF FLOOR FOR SWITCHES

7 3/8" TOTAL ASSEMBLED
WALL THICKNESS

2 REMOVABLE BREAKAWAY CHANNELS
(HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP
14" & 17" OFF FLOOR FOR RECEPTACLES

2x4 BOTTOM PLATE

WEEP SCREED

ICF FOUNDATION WALL
(6" THICK WITH SHOWN)



STUCCO WALL SECTION
(ICF FOUNDATION)

EZ SIPS

NK CAD DESIGN
www.NKCADD.COM
519-865-8460

DATE:	MAR-03-14
SCALE:	3/4"=1'-0"
REVISION:	-
DWG NO:	EZ SIPS-2x4 / 5C