



TYPICAL EXT. SIDING
 WALL CONSTRUCTION
 PRE-FINISHED VINYL SIDING
 HOUSEWRAP AIR BARRIER
 7/16" OSB PANEL SHEATHING
 TYPE 1 EXPANDED POLY-STYRENE
 (1 LB DENSITY) INSULATION PANEL
 2x6 STUD WALL @ 16" O.C.
 1/2" AIR SPACE
 6mil POLY AIR VAPOUR BARRIER
 1/2" GYPSUM BOARD

9" TOTAL ASSEMBLED
 WALL THICKNESS

2x6 TOP PLATE

REMOVABLE BREAKAWAY CHANNELS
 (VERTICAL) 2" ON BOTH SIDES OF EACH
 STUD x 1 1/2" DEEP (2 1/2" BEHIND DRYWALL FACE).

2 REMOVABLE BREAKAWAY CHANNELS
 (HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP
 48" & 51" OFF FLOOR FOR SWITCHES

2 REMOVABLE BREAKAWAY CHANNELS
 (HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP
 14" & 17" OFF FLOOR FOR RECEPTACLES

2x6 BOTTOM PLATE

POURED/BLOCK FOUNDATION WALL
 (8" THICK SHOWN)

	TYPICAL VINYL SIDING WALL SECTION (POURED/BLOCK FOUNDATION)	
	EZ SIPS	
	DATE: FEB-02-14	DRAWN: OC
	SCALE: 3/4"=1'-0"	APPROVED:
	DWG NO: EZ SIPS-2X6 / 3A	