



2x6 TOP PLATE

REMOVABLE BREAKAWAY CHANNELS  
(VERTICAL) 2" ON BOTH SIDES OF EACH  
STUD x 1 1/2" DEEP (2 1/2" BEHIND DRYWALL FACE).

TYPICAL EXT.  
BRICK WALL CONSTRUCTION  
4" BRICK VENEER TIED TO WALL  
W/METAL VENEER TIES  
@ 24" O.C. HORIZONTALLY &  
16" O.C. VERTICALLY  
1" AIRSPACE  
HOUSEWRAP AIR BARRIER  
7/16" OSB PANEL SHEATHING  
TYPE 1 EXPANDED POLY-STYRENE  
(1 LB DENSITY) INSULATION PANEL  
2x6 STUD WALL @ 16" O.C.  
1/2" AIR SPACE  
6mil POLY AIR VAPOUR BARRIER  
1/2" GYPSUM BOARD

2 REMOVABLE BREAKAWAY CHANNELS  
(HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP  
48" & 51" OFF FLOOR FOR SWITCHES

13" TOTAL ASSEMBLED  
WALL THICKNESS

2 REMOVABLE BREAKAWAY CHANNELS  
(HORIZONTAL) 3" HIGH x FULL WIDTH x 1 1/2" DEEP  
14" & 17" OFF FLOOR FOR RECEPTACLES

2x6 BOTTOM PLATE

ICF FOUNDATION WALL  
(6" THICK WITH 10 1/2" LEDGE SHOWN)

|                          |                                               |           |
|--------------------------|-----------------------------------------------|-----------|
|                          | BRICK VENEER WALL SECTION<br>(ICF FOUNDATION) |           |
|                          | <b>EZ SIPS</b>                                |           |
|                          | DATE: FEB-02-14                               | DRAWN: OC |
|                          | SCALE: 3/4"=1'-0"                             | APPROVED: |
| DWG NO: EZ SIPS-2X6 / 4C |                                               |           |